L Number	Hits	Search Text	DB	Time stamp
-	468682	re$cycl$4 reus4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:25
-	4722	(re$cycl$4 reus4) with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:59
-	309	system with (re$cycl$4 reus4) with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:32
-	5	system with (re$cycl$4 reus4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:34
-	1	system and method and data$base and (re$cycl$4 re$us$4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:33
-	1	system and method and data$base and (re$cycl$4 re$us$4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:33
-	88	system and (re$cycl$4 reus4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:34
-	85	system and method and (re$cycl$4 reus4) with raw adj material and waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:35
-	1	system and method and (re$cycl$4 reus4) with raw adj material and waste adj stream and data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:35
-	1	(re$cycl$4 reus4) with raw adj material and waste adj stream and data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:36
-	2	(re$cycl$4 reus4) with raw adj material and waste with stream and data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:37
-	57	(re$cycl$4 reus4) with raw adj material and waste with stream and (data$base data$store storage)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:38
-	0	(re$cycl$4 reus4) with raw adj material and waste with stream and (data$base data$store storage) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:39
-	51	(re$cycl$4 reus4) with raw adj material and waste with stream and (data$base data$store storage) and method and system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:40
-	6	(re$cycl$4 reus4) with raw adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:41
-	7	(re$cycl$4 reus4) with raw adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:41

-	16	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:42
-	31	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material and data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:43
-	0	data$base and (re$cycl$4 re$us$4) with (raw re$us$4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:43
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
-	13	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
-	13	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:02
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 and waste and semi$conduct$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:49
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 and waste and (semi$conduct$4 chip)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:51
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and method and system and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 and waste and (semi$conduct$4 chip) and (price "purchase order" purchase)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:01
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 and waste and (semi$conduct$4 chip) and (price "purchase order" purchase)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:01

-	13	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:08
-	8	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 with (waste raw re$cycl$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:05
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and stor$4 with (raw re$us$4 re$cycl$4) adj material and monitor$4 and waste and data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:07
-	32	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:12
-	34	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and stor$4 with (raw re$us$4 re$cycl$4) and monitor$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:10
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store) and stor$4 with (raw re$us$4 re$cycl$4) and monitor$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:10
-	85	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store storage) and stor$4 with (raw re$us$4 re$cycl$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:11
-	1	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and (data$base data$store) and stor$4 with (raw re$us$4 re$cycl$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:11
-	19	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and data$base and monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:14
-	1730	purchase adj order and purchase and price	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:13
-	0	((re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and data$base and monitor$4) and (purchase adj order and purchase and price)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:13
-	0	(re$cycl$4 reus4) with (raw reus4 re$cycl$4) adj material and waste with stream and data$base and monitor$4 and purchase	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
-	237	data$base with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
-	134	data$base with raw adj material and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
-	22	data$base with raw adj material and waste and re$cycl$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15

C:\APPS\EAST\Workspaces\A57 Szmanda.wsp

-		6	data$base with raw adj material and waste and re$cycl$4 and stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:16
-		5	data$base with raw adj material and waste and re$cycl$4 and stream and monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:21
-		12	data$base with raw adj material and waste and re$cycl$4 and waste and monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:27
-		114	data$base with raw adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:28
-		0	data$base with raw adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 with raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:29
-		2	data$base with raw adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:32
-		3	data$base with (raw re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:33
-		5	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:11
-		7	data$base with (raw re$cycl$4 re$us$4) adj material and waste and price and purchase with order	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:25
-		7	data$base with (raw re$cycl$4 re$us$4) adj material and waste and price and purchase with (order request)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:25
-		8	data$base with (raw re$cycl$4 re$us$4) adj material and waste and price and purchase with (order$4 request$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:30
-		23	data$base with (raw re$cycl$4 re$us$4) adj material and price and purchase with (order$4 request$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:31
-		16	data$base with (raw re$cycl$4 re$us$4) adj material and price and purchase with (order$4 request$4) and (707/$ 705/$).ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
-		2	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:56
-		0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and access with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:22
-		0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and access$4 with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:22

C:\APPS\EAST\Workspaces\A57 Szmanda.wsp

-	0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and communicat$4 with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:23
-	0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and connect$4 with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:23
-	0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and user with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and (customer consumer) with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and (customer user consumer) with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	0	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and (customer client user consumer) with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
-	11	data$base with (raw re$cycl$4 re$us$4) adj material and price and purchase with (order$4 request$4) and (707/$ 705/$).ccls. and data$base with access$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:27
-	3	data$base with (raw re$cycl$4 re$us$4) adj material and price and purchase with (order$4 request$4) and (707/$ 705/$).ccls. and data$base with access$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:27
-	8242	waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
-	0	waste adj stream with generat$4 with raw adj material and waste with (different vari$4) with raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
-	10	waste adj stream with generat$4 with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:16
~	1736	(waste reus$4 discard$4) with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:58
-	554	(waste reus$4 discard$4) with data$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:58
-	64	(waste reus$4 discard$4) with data$base and provider with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:59

C:\APPS\EAST\Workspaces\A57 Szmanda.wsp

-	64	(waste reus$4 discard$4) with data$base and provider with interfac$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:00
-	0	(waste reus$4 discard$4) with data$base and provider with interfac$4 and waste with stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 15:59
-	49	(waste reus$4 discard$4) with data$base and provider with interfac$4 and communicat$4 with interfac$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:00
-	38	(waste reus$4 discard$4) with data$base and provider with interfac$4 and communicat$4 with interfac$4 and monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:01
-	2	(waste reus$4 discard$4) with data$base and provider with interfac$4 and communicat$4 with interfac$4 and monitor$4 with (waste reus$4 discard$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:05
-	0	(waste (reus$4 discard$4) with material) with data$base and provider with interfac$4 and communicat$4 with interfac$4 and monitor$4 with (waste reus$4 discard$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:07
-	266	(waste (reus$4 discard$4) with material) with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:07
-	52	(waste (reus$4 discard$4) with material) with data$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:07
-	4	(waste (reus$4 discard$4) with material) with data$base and provider with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:11
-	4	(waste (reus$4 discard$4) with material) with data$base and (supplier provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:11
-	6	(waste (reus$4 discard$4) with (article item material)) with data$base and (supplier provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:16
-	8	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:18
-	136	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier user provider) with interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:36
-	43	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier user provider) with interface and communication with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:37
-	2	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier user provider) with interface and communication with link and monitor$4 and interfac$4 with monitor$4 and waste with manag$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:39
-	3	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier user provider) with interface and communication with link and monitor$4 and interfac$4 with monitor$4 and (waste re$cycl$4 reus$4 discard$4) with manag$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:39

C:\APPS\EAST\Workspaces\A57 Szmanda.wsp

-		9	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier user provider) with interface and communication with link and monitor$4 and interfac$4 with monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:40
-		6	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier user provider) with interface and communication with link and monitor$4 and interfac$4 with monitor	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:43
-		28	(waste re$cycl$4 (reus$4 discard$4) with (article item material)) with data$base and (supplier user provider) with interface and communication with link and monitor$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:57
-		1	5084483.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:58
-		0	5084483.pn. and interfac$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:58
-		0	5084483.pn. and communication	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 16:58
-		27	(re$cycl$4 reus4) with raw adj material and user with interfac$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:00
-		18	(re$cycl$4 reus4) with raw adj material and user with interfac$4 and data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:01
-		2	(re$cycl$4 reus4) with raw adj material and user with interfac$4 and data$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:06
-		1	(re$cycl$4 reus4) with raw adj material and user with interfac$4 and (interfac$4 communicat$4) with data$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:08
-		45	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4) with data$base and provider	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/03 17:09
-		10	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4) with data$base and provider with (waste re$cycl$4 reus$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:17
-		4	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4) with data$base and provider with (waste re$cycl$4 reus$4) and monitor$4 with (production process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:18
-		4	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and provider with (waste re$cycl$4 reus$4) and monitor$4 with (production process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:18
-		29	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:19

C:\APPS\EAST\Workspaces\A57 Szmanda.wsp

-	354222	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with re$cycl$4 reus4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:20
-	2	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:36
-	0	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base with communicat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:36
-	2	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base and communicat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:09
-	1	data$base with (raw re$cycl$4 re$us$4) adj material and waste and (re$cycl$4 reuse4) and (waste refuse) and monitor$4 and (system method) with re$cycl$4 and determin$4 with re$us$4 and data$base with price	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 08:56
-	2	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base and communicat$4 and user with access$$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:10
-	2	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base and communicat$4 and user with access$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:10
-	0	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base and communicat$4 and user with access$4 with interfac$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:11
-	0	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base and communicat$4 and user with access$4 with data$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:11
-	0	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base and communicat$4 and user with access$4 with view$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:11

C:\APPS\EAST\Workspaces\A57 Szmanda.wsp

-		2	(re$cycl$4 reus4) with material and user with interfac$4 and (interfac$4 communicat$4 conect$4 link$4) with data$base and (waste re$cycl$4 reus$4) and monitor$4 with (production) with (re$cycl$4 reus4) and data$base and communicat$4 and user with view$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/04 09:12